

SPECIFICATIONS

Reflector / Mounting Pan: 20 gauge (.036") C.R.S. Computer designed and finished high gloss white 90% reflectance polyester powder coating. See Finish Note.

Door Frame: 20 gauge (.036") C.R.S. gasketed with two captive, countersunk fasteners, concealed stainless steel hinging, painted Sky White. See Finish Note.

Ballast: H.I.D.: Pre-wired, CWA or HPF, core and coil with dry film capacitor and starter if required.

Thermal Device: Automatic resetting heat sensitive device for non-IC installations. Protects fixture from overheating if insulation covers fixture.

Lamp: H.I.D.: Clear, mogul base (by others).

Lamp Holder: H.I.D. Hi-heat porcelain, 4 K.V. rated, w/nickel plated copper screw shell, spring loaded center contact, lamp grips, SF-2 leads (200° C). Impregnated gasket.


Finish: All painted parts are washed in alkaline solution, rinsed in an iron phosphate, baked dry, then painted with a TGIC polyester powder coating electrostatic applied and baked.

Labels: ETL, CETL listed, suitable for wet location under covered ceiling. I.B.E.W. labeled.


Fixture Warranty The fixture mechanics are guaranteed to be free from defective material and workmanship, under normal installation and operating conditions, for five years from date of shipment from the factory. See General Terms and Conditions.

Photometric Information: Contact factory.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Dimensions



3254 North Kilbourn Avenue Chicago, Illinois 60641-4505
 Phone: 773-427-7000 Fax: 800-217-1260 www.escolighting.com

A Woman-Owned Business
 Established 1975



HOW TO ORDER

RH1000 Series 2x2 lay-in with C73 prismatic tempered glass lens.



***QUICK SHIP PRODUCT**

Catalog Number	Watts	Light Source
RH1015	150	HPS
RH1017	250	HPS
RH1018	400	HPS
RH1026*	175	MH
RH1027*	250	MH
RH10225	250	MH/PS
RH10232	320	MH/PS
RH10235	350	MH/PS
RH1028*	400	MH
RH10240	400	MH/PS

RH1100 Series 2x2 lay-in with regressed C73 prismatic tempered glass lens.



***QUICK SHIP PRODUCT**

Catalog Number	Watts	Light Source
RH1115	150	HPS
RH1117	250	HPS
RH1118	400	HPS
RH1126*	175	MH
RH1127*	250	MH
RH11225	250	MH/PS
RH11232	320	MH/PS
RH11235	350	MH/PS
RH1128*	400	MH
RH11240	400	MH/PS

2x2 lay-in with acrylic prismatic drop lens.




Catalog Number	Watts	Light Source
RH1215	150	HPS
RH1217	250	HPS
RH1218	400	HPS
RH1226	175	MH
RH1227	250	MH
RH12225	250	MH/PS
RH12232	320	MH/PS
RH12235	350	MH/PS
RH1228	400	MH
RH12240	400	MH/PS

RH1300 Series 2x2 lay-in with polycarbonate prismatic drop lens.



Catalog Number	Watts	Light Source
RH1315	150	HPS
RH1317	250	HPS
RH1318	400	HPS
RH1326	175	MH
RH1327	250	MH
RH13225	250	MH/PS
RH13232	320	MH/PS
RH13235	350	MH/PS
RH1328	400	MH
RH13240	400	MH/PS

RH1600 Series 2x2 lay-in with C73 prismatic tempered glass lens and 9 cell parabolic louver.



Catalog Number	Watts	Light Source
RH1615	150	HPS
RH1617	250	HPS
RH1618	400	HPS
RH1626	175	MH
RH1627	250	MH
RH16225	250	MH/PS
RH16232	320	MH/PS
RH16235	350	MH/PS
RH1628	400	MH
RH16240	400	MH/PS

RH1900 Series 2x2 lay-in with acrylic Tri-umph 1 control lens.




Catalog Number	Watts	Light Source
RH1915	150	HPS
RH1917	250	HPS
RH1918	400	HPS
RH1926	175	MH
RH1927	250	MH
RH19225	250	MH/PS
RH19232	320	MH/PS
RH19235	350	MH/PS
RH1928	400	MH
RH19240	400	MH/PS

OPTIONS & ACCESSORIES



Fuse and Fuse Holder
Suffix Catalog Number With **F**



Aluminum Plaster Frame
simulates "Tee Bar" ceiling finished matte white. Suffix catalog number with **T24W**.

Suffix Catalog Number With	Quartz Re-strike Systems
E1A	MINI-CAN SOCKET ASSEMBLY FOR SEPARATE CIRCUIT ENTRY WITH RELAY SYSTEM FOR ONE LAMP BURNING ONLY.
E2	EMERGENCY RE-STRIKE SYSTEM, MINI-CAN SOCKET ASSEMBLY (100-250 WATT MAX LAMP) .
E65	EMERGENCY RE-STRIKE SYSTEM , MINI-CAN SOCKET ASSEMBLY (100-250 WATT MAX LAMP) TIME DELAY RELAY.
E1D	RELAY FOR INCANDESCENT DIMMING SYSTEM MAX. 250W QUARTZ LAMP, MINI-CAN SOCKET ASSEMBLY



Tamper Proof Screw
suffix catalog number with **TP**



Wire Guard
Suffix catalog number with **WG21**



3254 North Kilbourn Avenue Chicago, Illinois 60641-4505
Phone: 773-427-7000 Fax: 800-217-1260 www.escolighting.com
A Woman-Owned Business
Established 1975

